

132

SERIES

XT
XTS
XTA
XTV

> 64 **Accessories**
Accessori

> 69 **Dimensions**
Dimensioni



Versions • Versioni

XT 1450 rpm
XTS 2800 rpm
XTA 1750 rpm
N version ø 24 mm



XTV 3400 rpm
N version ø 24 mm



XT 1450 rpm
XTS 2800 rpm
C version ø 24 mm



XTS 2800 rpm
XTV 3400 rpm
D version ø 3/4"



XTA 1750 rpm
XTV 3400 rpm
E version ø 5/8"



**XT 1450 rpm N version ø 24 mm**

| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg |
|-------------------------|----------------|-------------------|------|-----------------------|------|------------------|-----|-------------------|----------------------|
| | | l/min | gpm | bar | psi | hp | kw | | |
| XT 8.10 N | 7002 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 1450 | 3,8 |
| ● XT 8.12 N | 6994 | 8 | 2.11 | 120 | 1740 | 2.5 | 1,8 | 1450 | 4,8 |
| ● XT 8.14 N | 7012 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 1450 | 5 |
| ● XT 8.15 N | 6979 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 1450 | 5 |
| XT 9.11 N | 7006 | 9 | 2.37 | 110 | 1600 | 2.5 | 1,8 | 1450 | 4 |
| ● XT 9.14 N | 7013 | 9 | 2.37 | 140 | 2000 | 3.3 | 2,4 | 1450 | 5 |
| ● XT 9.15 N | 6980 | 9 | 2.37 | 150 | 2200 | 3.5 | 3,2 | 1450 | 5 |
| XT 10.10 N | 7334 | 10 | 2.64 | 100 | 1450 | 2.5 | 1,8 | 1450 | 4 |
| ● XT 10.15 N | 6978 | 10 | 2.64 | 150 | 2200 | 4 | 3 | 1450 | 5 |
| XT 11.07 N | 7003 | 11 | 2.90 | 70 | 1000 | 2 | 1,5 | 1450 | 3,8 |
| XT 11.09 N | 7007 | 11 | 2.90 | 90 | 1300 | 2.5 | 1,8 | 1450 | 4 |
| XT 11.11 N | 7008 | 11 | 2.90 | 110 | 1600 | 3 | 2,2 | 1450 | 4 |
| ● XT 11.14 N | 7014 | 11 | 2.90 | 140 | 2000 | 4 | 3 | 1450 | 5 |
| ● XT 11.15 N | 6981 | 11 | 2.90 | 150 | 2200 | 4.3 | 3,2 | 1450 | 5 |
| XT 13.09 N | 7009 | 13 | 3.43 | 90 | 1300 | 3 | 2,2 | 1450 | 4 |
| ● XT 13.12 N | 7015 | 13 | 3.43 | 120 | 1740 | 4 | 3 | 1450 | 5 |
| ● XT 13.15 N | 6982 | 13 | 3.43 | 150 | 2200 | 5 | 3,6 | 1450 | 5 |

XT 1450 rpm C version ø 24 mm

| | | | | | | | | | |
|--------------|-------------|----|------|-----|------|-----|-----|------|-----|
| XT 8.10 C | 7018 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 1450 | 3,8 |
| ● XT 8.14 C | 7025 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 1450 | 5 |
| XT 9.11 C | 7022 | 9 | 2.37 | 110 | 1600 | 2.5 | 1,8 | 1450 | 4 |
| ● XT 9.14 C | 6991 | 9 | 2.37 | 140 | 2000 | 3.3 | 2,4 | 1450 | 5 |
| XT 11.09 C | 7023 | 11 | 2.90 | 90 | 1300 | 2.5 | 1,8 | 1450 | 4 |
| XT 11.11 C | 7103 | 11 | 2.90 | 110 | 1600 | 3 | 2,2 | 1450 | 4 |
| ● XT 11.14 C | 7104 | 11 | 2.90 | 140 | 2000 | 4 | 3 | 1450 | 4 |
| XT 13.09 C | 7119 | 13 | 3.43 | 90 | 1300 | 3 | 2,2 | 1450 | 4 |

XTS 2800 rpm N version ø 24 mm

● model
brass head

| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg |
|-------------------------|----------------|-------------------|------|-----------------------|------|------------------|-----|-------------------|----------------------|
| | | l/min | gpm | bar | psi | hp | kw | | |
| XTS 8.10 N | 7032 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 2800 | 3,8 |
| ● XTS 8.12 N | 7281 | 8 | 2.11 | 120 | 1740 | 2.5 | 1,8 | 2800 | 4 |
| ● XTS 8.14 N | 7040 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 2800 | 5 |
| ● XTS 8.15 N | 7412 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 2800 | 5 |
| XTS 10.10 N | 7332 | 10 | 2.64 | 100 | 1450 | 2.5 | 1,8 | 2800 | 3,8 |
| ● XTS 10.15 N | 7413 | 10 | 2.64 | 150 | 2200 | 4 | 3 | 2800 | 5 |
| XTS 11.09 N | 7034 | 11 | 2.90 | 90 | 1300 | 2.5 | 1,8 | 2800 | 3,8 |
| XTS 11.11 N | 7035 | 11 | 2.90 | 110 | 1600 | 3 | 2,2 | 2800 | 3,8 |
| ● XTS 11.14 N | 7041 | 11 | 2.90 | 140 | 2000 | 4 | 3 | 2800 | 5 |
| ● XTS 11.15 N | 7414 | 11 | 2.90 | 150 | 2200 | 4.3 | 3,2 | 2800 | 5 |
| XTS 13.09 N | 7037 | 13 | 3.43 | 90 | 1300 | 3 | 2,2 | 2800 | 3,8 |
| ● XTS 13.12 N | 7283 | 13 | 3.43 | 120 | 1740 | 4 | 3 | 2800 | 4,8 |
| ● XTS 13.15 N | 7415 | 13 | 3.43 | 150 | 2200 | 5 | 3,6 | 2800 | 5 |

**XTS 2800 rpm C version ø 24 mm**

| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg |
|-------------------------|----------------|-------------------|------|-----------------------|------|------------------|-----|-------------------|----------------------|
| | | l/min | gpm | bar | psi | hp | kw | | |
| XTS 8.10 C | 7061 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 2800 | 3,8 |
| ● XTS 8.14 C | 7068 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 2800 | 5 |
| XTS 11.09 C | 7063 | 11 | 2.90 | 90 | 1300 | 2.5 | 1,8 | 2800 | 4 |
| XTS 11.11 C | 7064 | 11 | 2.90 | 110 | 1600 | 3 | 2,2 | 2800 | 4 |
| ● XTS 11.14 C | 7069 | 11 | 2.90 | 140 | 2000 | 4 | 3 | 2800 | 5 |
| XTS 13.09 C | 7066 | 13 | 3.43 | 90 | 1300 | 3 | 2,2 | 2800 | 4 |
| ● XTS 13.12 C | 7287 | 13 | 3.43 | 120 | 1740 | 4 | 3 | 2800 | 5 |

**XTS 2800 rpm D version ø 3/4"**

| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg |
|-------------------------|----------------|-------------------|------|-----------------------|------|------------------|-----|-------------------|----------------------|
| | | l/min | gpm | bar | psi | hp | kw | | |
| XTS 8.10 D | 7047 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 2800 | 3,8 |
| XTS 8.14 D | 7054 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 2800 | 5 |
| XTS 11.11 D | 7050 | 11 | 2.90 | 110 | 1600 | 3 | 2,2 | 2800 | 4 |
| XTS 11.14 D | 7055 | 11 | 2.90 | 140 | 2000 | 4 | 3 | 2800 | 5 |
| XTS 13.09 D | 7052 | 13 | 3.43 | 90 | 1300 | 3 | 2,2 | 2800 | 4 |
| XTS 13.12 D | 7291 | 13 | 3.43 | 120 | 1740 | 4 | 3 | 2800 | 5 |

**XTA 1750 rpm N version ø 24 mm**

| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg |
|-------------------------|----------------|-------------------|------|-----------------------|------|------------------|-----|-------------------|----------------------|
| | | l/min | gpm | bar | psi | hp | kw | | |
| XTA 2 G15 N | 7072 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 1750 | 3,8 |
| ● XTA 2 G20 N | 7084 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 1750 | 5 |
| ● XTA 2 G22 N | 7416 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 1750 | 5 |
| XTA 3 G16 N | 7437 | 11,4 | 3 | 110 | 1600 | 3 | 2,2 | 1750 | 4 |
| ● XTA 3 G19 N | 7085 | 11,4 | 3 | 130 | 1900 | 4 | 3 | 1750 | 5 |
| ● XTA 3 G22 N | 7417 | 11,4 | 3 | 150 | 2200 | 4,5 | 3,4 | 1750 | 5 |
| XTA 3.5 G13 N | 7438 | 13,2 | 3.5 | 90 | 1300 | 3 | 2,2 | 1750 | 4 |
| ● XTA 3.5 G17 N | 7086 | 13,2 | 3.5 | 120 | 1740 | 4 | 3 | 1750 | 5 |
| ● XTA 3.5 G20 N | 7418 | 13,2 | 3.5 | 140 | 2000 | 5 | 3,6 | 1750 | 5 |
| XTA 4 G10 N | 7079 | 15,1 | 4 | 70 | 1000 | 3 | 2,2 | 1750 | 3,8 |
| XTA 4 G15 N | 7083 | 15,1 | 4 | 100 | 1450 | 4 | 3 | 1750 | 4 |



● model
brass head



| XTA 1750 rpm E version \varnothing 5/8" | | | | | | | | | | |
|---|--------------------|-------------------|------|-----------------------|-----|------------------|----|-------------------|----------------------|-----|
| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg | |
| | | l/min | gpm | bar | psi | hp | kw | | | |
| | XTA 2 G15 E | 7095 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 1750 | 3,8 |
| | ● XTA 2 G20 E | 7097 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 1750 | 5 |
| | XTA 3 G16 E | 7096 | 11,4 | 3 | 110 | 1600 | 3 | 2,2 | 1750 | 4 |
| | ● XTA 3 G19 E | 7441 | 11,4 | 3 | 130 | 1900 | 4 | 3 | 1750 | 5 |
| | XTA 3.5 G13 E | 7444 | 13,2 | 3.5 | 90 | 1300 | 3 | 2,2 | 1750 | 4 |
| | ● XTA 3.5 G17 E | 7446 | 13,2 | 3.5 | 120 | 1740 | 4 | 3 | 1750 | 5 |
| | XTA 4 G15 E | 7450 | 15,1 | 4 | 100 | 1450 | 4 | 3 | 1750 | 5 |



| XTV 3400 rpm N version \varnothing 24 mm | | | | | | | | | | |
|--|----------------|-------------------|------|-----------------------|-----|------------------|-----|-------------------|----------------------|-----|
| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight KG | |
| | | l/min | gpm | bar | psi | hp | kw | | | |
| | XTV 2 G15 N | 20219 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 2 G18 N | 20220 | 8 | 2.11 | 120 | 1740 | 2.5 | 1,8 | 3400 | 5 |
| | ● XTV 2 G20 N | 20221 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 3400 | 5 |
| | ● XTV 2 G22 N | 20230 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 3400 | 5 |
| | XTV 3 G10 N | 7451 | 11,4 | 3 | 70 | 1000 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 3 G16 N | 7453 | 11,4 | 3 | 110 | 1600 | 3 | 2,2 | 3400 | 4,8 |
| | ● XTV 3 G18 N | 7454 | 11,4 | 3 | 120 | 1740 | 3.5 | 2,7 | 3400 | 5 |
| | ● XTV 3 G20 N | 7455 | 11,4 | 3 | 140 | 2000 | 4 | 3 | 3400 | 5 |
| | ● XTV 3 G22 N | 20109 | 11,4 | 3 | 150 | 2200 | 4.5 | 3,4 | 3400 | 5 |



| XTV 3400 rpm E version \varnothing 5/8" | | | | | | | | | | |
|---|----------------|-------------------|------|-----------------------|-----|------------------|-----|-------------------|----------------------|-----|
| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg | |
| | | l/min | gpm | bar | psi | hp | kw | | | |
| | XTV 2 G15 E | 7456 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 2 G20 E | 7463 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 3400 | 5 |
| | ● XTV 2 G22 E | 20110 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 3400 | 5 |
| | XTV 3 G10 E | 7113 | 11,4 | 3 | 70 | 1000 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 3 G16 E | 7226 | 11,4 | 3 | 110 | 1600 | 3 | 2,2 | 3400 | 4,8 |
| | ● XTV 3 G20 E | 7461 | 11,4 | 3 | 140 | 2000 | 3.5 | 2,7 | 3400 | 5 |



| XTV 3400 rpm D version \varnothing 3/4" | | | | | | | | | | |
|---|----------------|-------------------|------|-----------------------|-----|------------------|-----|-------------------|----------------------|-----|
| Pump type Tipo pompa | Code Codice | Output Portata | | Pressure Pressione | | Power Potenza | | RPM N° giri/1' | Peso Weight Kg | |
| | | l/min | gpm | bar | psi | hp | kw | | | |
| | XTV 2 G15 D | 7294 | 8 | 2.11 | 100 | 1450 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 2 G18 D | 7105 | 8 | 2.11 | 120 | 1740 | 2.5 | 1,8 | 3400 | 5 |
| | ● XTV 2 G20 D | 7464 | 8 | 2.11 | 140 | 2000 | 3 | 2,2 | 3400 | 5 |
| | ● XTV 2 G22 D | 7419 | 8 | 2.11 | 150 | 2200 | 3 | 2,2 | 3400 | 5 |
| | XTV 3 G10 D | 7296 | 11,4 | 3 | 70 | 1000 | 2 | 1,5 | 3400 | 3,8 |
| | ● XTV 3 G16 D | 7298 | 11,4 | 3 | 110 | 1600 | 3 | 2,2 | 3400 | 4,8 |
| | ● XTV 3 G20 D | 7462 | 11,4 | 3 | 140 | 2000 | 4.5 | 3,4 | 3400 | 5 |
| | ● XTV 3 G22 D | 7420 | 11,4 | 3 | 150 | 2200 | 4.5 | 3,4 | 3400 | 5 |



● model
brass head