

# 194

SERIES

XW  
XWL  
XWA  
XWLA  
XWF  
XWT



## Versions • Versioni

**XW** 1450 rpm  
**XWL** 1450 rpm  
N version  $\varnothing$  24 mm

### F28

Bell housing + flexible coupling for  
B3/B14 frame 100 and 112.  
Flangiatura con giunto elastico per  
motori elettrici B3/B14 Gr.100 e 112.  
COD.1543

### F30

Bell housing + flexible coupling for  
B3/B14 frame 132.  
Flangiatura con giunto elastico per  
motori elettrici B3/B14 Gr.132.  
COD.1545



> 64 **Accessories**  
**Accessori**

> 69 **Dimensions**  
**Dimensioni**



**XWA** 1750 rpm  
**XWLA** 1750 rpm  
**XWF** 1000 rpm  
N version ø 24 mm

**XWT** 550 rpm  
N version ø 24 mm

**KIT C**  
For/Per XWT  
COD.2519



**XWF 1000 rpm N version ø 24 mm**

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XWF 26.06 N	<b>21049</b>	26	6.87	60	900	4	3	1000	16
XWF 26.09 N	<b>21050</b>	26	6.87	90	1300	5.5	4	1000	16
XWF 26.12 N	<b>21051</b>	26	6.87	120	1740	7.5	5,5	1000	16
XWF 26.15 N	<b>21052</b>	26	6.87	150	2200	10	7,5	1000	16
XWF 26.20 N	<b>21053</b>	26	6.87	200	2900	13	9,6	1000	16
XWF 30.10 N	<b>21054</b>	30	7.92	100	1450	7.5	5,5	1000	16
XWF 30.18 N	<b>21055</b>	30	7.92	180	2600	15	11	1000	16
XWF 30.20 N	<b>22921</b>	30	7,92	200	2900	15	11	1000	16
XWF 36.17 N	<b>21056</b>	36	9.51	170	2500	15	11	1000	16

**XW 1450 rpm N version ø 24 mm**

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XW 15.15 N	<b>20352</b>	15	3.96	150	2200	5.5	4	1450	16
XW 15.20 N	<b>20353</b>	15	3.96	200	2900	7.5	5,5	1450	16
XW 15.30 N	<b>20592</b>	15	3.96	300	4350	12	8,7	1450	16
XW 21.20 N	<b>20174</b>	21	5.55	200	2900	10	7,5	1450	16
XW 21.25 N	<b>20058</b>	21	5.55	250	3600	12.5	9,2	1450	16
XW 21.28 N	<b>21136</b>	21	5.55	280	4060	15	11	1450	16
XW 26.12 N	<b>20175</b>	26	6.87	120	1740	7.5	5,5	1450	16
XW 26.15 N	<b>20176</b>	26	6.87	150	2200	10	7,5	1450	16
XW 26.20 N	<b>20059</b>	26	6.87	200	2900	12.5	9,2	1450	16
XW 26.23 N	<b>20177</b>	26	6.87	230	3400	15	11	1450	16
XW 30.10 N	<b>20178</b>	30	7.92	100	1450	7.5	5,5	1450	16
XW 30.15 N	<b>20179</b>	30	7.92	150	2200	10	7,5	1450	16
XW 30.20 N	<b>20060</b>	30	7.92	200	2900	15	10	1450	16
XW 30.25 N	<b>21137</b>	30	7.92	250	3600	19	14	1450	16

**XWL 1450 rpm N version ø 24 mm**

Model H

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XWL 36.15 N	<b>22175</b>	36	9.51	150	2200	15	11	1450	16
XWL 41.20 N	<b>22462</b>	41	10.83	200	2900	20	15	1450	16
XWL 42.05 N	<b>21057</b>	42	11.09	50	725	5.5	4	1450	16
XWL 42.07 N	<b>21058</b>	42	11.09	70	1000	8	5,9	1450	16
XWL 42.10 N	<b>21059</b>	42	11.09	100	1450	11	8,2	1450	16
XWL 42.15 N	<b>21060</b>	42	11.09	150	2200	16	11,8	1450	16
XWL 50.15 N* <b>NEW</b>	<b>23709</b>	50	13.20	150	2200	20	15	1450	16
XWL 50.15H N* <b>NEW</b>	<b>23816</b>	50	13.20	150	2200	20	15	1450	16

\* Min. +0,1bar (+1,5psi) inlet pressure

\* Minimo +0,1bar (+1,5psi) di pressione in entrata

**XWA** 1750 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XWA 4 G20 N	<b>20781</b>	15,1	4	140	2000	5.5	4	1750	16
XWA 4 G30 N	<b>20354</b>	15,1	4	205	3000	7.5	5,5	1750	16
XWA 5.5 G22 N	<b>20180</b>	20,8	5.5	150	2200	7.5	5,5	1750	16
XWA 5.5 G30 N	<b>20061</b>	20,8	5.5	205	3000	10	7,5	1750	16
XWA 5.5 G40 N	<b>21138</b>	20,8	5.5	275	4000	14	10,5	1750	16
XWA 7 G22 N	<b>20181</b>	25,5	7	150	2200	10	7,5	1750	16
XWA 7 G32 N	<b>20062</b>	25,5	7	220	3200	14	10,5	1750	16
XWA 7 G35 N	<b>21139</b>	25,5	7	240	3500	15	11	1750	16
XWA 7 G40 N	<b>21140</b>	25,5	7	275	4000	17	12,5	1750	16
XWA 8 G19 N	<b>20182</b>	30,2	8	130	1900	10	7,5	1750	16
XWA 8 G29 N	<b>20063</b>	30,2	8	200	2900	15	11	1750	16
XWA 8 G35 N	<b>21141</b>	30,2	8	240	3500	18	13,4	1750	16
XWA 9 G16 N	<b>20183</b>	34	9	110	1600	10	7,5	1750	16
XWA 9 G24 N	<b>20064</b>	34	9	170	2400	15	11	1750	16
XWA 9 G30 N	<b>21645</b>	34	9	205	3000	18	13,4	1750	16

For 350 bar versions please see page 43. • Disponibili versioni 350 bar, vedi pag. 43.

**XWLA** 1750 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XWLA 13 G15 N*	<b>21198</b>	49.2	13	100	1450	13	9,6	1750	16

\* Min. +0,1bar (+1,5psi) inlet pressure

\* Minimo +0,1bar (+1,5psi) di pressione in entrata

**XWT** 550 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XWT 21.18 N	<b>21048</b>	21	5.55	180	2600	10	7,5	550	16
XWT 21.20 N	<b>22994</b>	21	5.55	200	2900	15	11	550	16

For extra kit **2519**, please  
see page 68  
Extra kit **2519**, vedi pag. 68

