


Stainless Steel

XM-SS
XMA-SS
RK-SS
RKA-SS
HYD RK-SS
XWL-SS



Versions • Versioni

XM-SS 1450 rpm
N version \varnothing 24 mm

XMA-SS 1750 rpm
E version + F33
 \varnothing 5/8"

RK-SS 1450 rpm
RKA-SS 1750 rpm
N version \varnothing 24 mm



> 64 **Accessories**
Accessori

> 69 **Dimensions**
Dimensioni



Stainless Steel

RK-SS 1450 rpm
C version \varnothing 28 mm

RKA-SS 1750 rpm
E version \varnothing 5/8"

RKA-SS 1750 rpm
E version \varnothing 1" 1/8

HYD RK-SS 1450 rpm

XWL-SS 950 - 1450 rpm
N version \varnothing 24 mm



Series 258

XM-SS 1450 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XM-SS 11.17 N	22124	11	2.90	170	2500	5	3,7	1450	7

XMA-SS 1750 rpm E version + F33 ø 5/8"


Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
XMA-SS0.5G15E+F33	21435	1,9	0.5	103	1500	0.6	0,4	1750	7
XMA-SS 2.5G15E+F33	21436	9,5	2.5	103	1500	2.5	1,8	1750	7
XMA-SS3G15 E+F33	21437	11,4	3	103	1500	3	2,2	1750	7

Series 234

RK-SS 1450 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
RK-SS 11.11 N	20958	11	2.90	110	1600	3	2,2	1450	10
RK-SS 13.17 N	20959	13	3.43	170	2500	5.5	4	1450	10
RK-SS 15.15 N	20960	15	3.96	150	2200	5.5	4	1450	10
RK-SS 21.15 N	21368	21	5.55	150	2200	7.5	5,5	1450	10

RK-SS 1450 rpm C version ø 28 mm


Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
RK-SS 11.11 C	20961	11	2.90	110	1600	3	2,2	1450	10
RK-SS 13.17 C	20962	13	3.43	170	2500	5.5	4	1450	10
RK-SS 15.15 C	20963	15	3.96	150	2200	5.5	4	1450	10
RK-SS 21.15 C	21369	21	5.55	150	2200	7.5	5,5	1450	10

Series 234

HYD RK-SS 1450 rpm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Hydraulic Motor Pressure (1)	Hydraulic Motor Flow (2)	RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	bar	l/min		
HYD RK-SS 21.15 N	21965	21	5.5	150	2200	175	29	1450	13,5

(1) Pressione Motore Idraulico, (2) Portata Motore Idraulico

Series 234



RKA-SS 1750 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
RKA-SS 2.3 G15 N	20964	8,7	2.3	103	1500	2.4	1,8	1750	10
RKA-SS 3 G15 N	20965	11,4	3	103	1500	3	2,2	1750	10
RKA-SS 3.6 G12 N	20966	13,6	3.6	83	1200	3	2,2	1750	10
RKA-SS 4.2 G15 N	20967	15,9	4.2	103	1500	4.3	3,2	1750	10
RKA-SS 7 G22 N	21195	27	7.1	150	2200	11	8,2	1750	10



RKA-SS 1750 rpm E version ø 5/8"

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
RKA-SS 2.3 G15 E	20968	8,7	2.3	103	1500	2.4	1,8	1750	10
RKA-SS 3 G15 E	20969	11,4	3	103	1500	3	2,2	1750	10
RKA-SS 3.6 G12 E	20970	13,6	3.6	83	1200	3	2,2	1750	10
RKA-SS 4.2 G15 E	20971	15,9	4.2	103	1500	4.3	3,2	1750	10



RKA-SS 1750 rpm E version ø 1" 1/8

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg
		l/min	gpm	bar	psi	hp	kw		
RKA-SS 2.3 G15 E	20972	8,7	2.3	103	1500	2.4	1,8	1750	10
RKA-SS 3 G15 E	20973	11,4	3	103	1500	3	2,2	1750	10
RKA-SS 3.6 G12 E	20974	13,6	3.6	83	1200	3	2,2	1750	10
RKA-SS 4.2 G15 E	20975	15,9	4.2	103	1500	4.3	3,2	1750	10

Series 252



XWL-SS 950 - 1450 rpm N version ø 24 mm

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		Power Potenza		RPM N° giri/1'	Peso Weight Kg	Price Prezzo €
		l/min	gpm	bar	psi	hp	kw			
XWL-SS 33.06 N	22831	33	8.72	60	900	5.5	4	950	18	
XWL-SS 33.08 N	23141	33	8.72	80	1160	7.5	5,5	950	18	
XWL-SS 26.06 N	22478	26	6.87	60	900	4	3	1450	18	
XWL-SS 30.09 N	22752	30	7.92	90	1300	7.5	5,5	1450	18	
XWL-SS 42.05 N	21468	42	11.09	50	725	5.5	4	1450	18	
XWL-SS 42.15 N	21704	42	11.09	150	2200	15	11	1450	18	
XWL-SS 50.15 N *	24105	50	13.20	150	2200	20	15	1450	18	

* Min. +0,1bar (+1,5psi) inlet pressure

* Minimo +0,1bar (+1,5psi) di pressione in entrata



VR SS

Pump type Tipo pompa	Code Codice	Output Portata		Pressure Pressione		
		l/min Max	gpm Max	bar Max	psi Max	
VR SS	21350	45		11.88	200	2900